

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	284	380/283.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:55
L2	4	L1 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:55
L3	1019	380/44.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:55
L4	8	L3 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:55
L5	495	713/169.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 09:55
L6	5	L5 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:55
L7	949	713/171.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 09:55
L8	9	L7 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:55
L9	24	(JALBERT near CHRISTOPHER) (WALLACE near LELAND) (O'ROURKE near DAVID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:55

L10	2	L9 and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:55
L11	146	session near key\$2 same (hash\$3 digest) with public near key\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:56
L12	0	L11 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:56
L13	25	encrypt\$3 with two near session near key\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:56
L14	0	L13 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:56
L15	219	nonce\$2 with (compar\$3 modification modif\$3) and public	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:56
L16	1	L15 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:56
L17	56	encrypt\$3 near3 (nonce number) with public adj key\$2 with session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:56
L18	0	L17 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:56
L19	30	generat\$4 with secret same hash\$4 with public with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:56

L20	0	L19 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:56
L21	10	hash\$4 with first with second with public near key with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:57
L22	0	L21 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:57
L23	4	hash\$4 with public near keys with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 09:57
L24	0	L23 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:57
L25	124	hash\$4 with (host server) with client with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/15 09:57
L26	0	L25 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:57
L27	25	key near exchang\$4 and client with public adj key same (server host) with public adj key same hash \$4 same (password secret)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:57
L28	0	L27 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:57
L29	59	key near exchang\$4 and client with public adj key same (server host) with public adj key same hash \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:57

L30	0	L29 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:57
L31	107	mutual\$4 with authenticat \$4 with secur\$4 with key with exchang\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:57
L32	0	L31 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:57
L33	209	series adj3 hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:57
L34	51	L33 and generat\$4 with (key secret)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:57
L35	0	L34 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:57
L36	151	(key secret) near generat \$4 and (series sequence) near hash	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:57
L37	2	L36 and @ad<"20010730" and @pd>"20071212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:57
L38	11	(hash\$4 with (password (public adj key)) with nonce).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 09:59
L39	0	(hash\$4 with (password (public adj key)) same session near2 public adj key).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 10:00

L40	20	(hash\$4 with (password (public adj key)) same session adj key).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 10:01
S135	1	("7047408").PN.	US-PGPUB; USPAT	OR	OFF	2008/04/15 08:23
S136	11	("4956863"   "5241599"   "5351293"   "5440635"   "5450493"   "5602917"   "6028937"   "6226383"   "6539479").PN. OR ("7047408").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/15 08:25
S137	5	S136 and hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 08:25
S138	279	hash\$4 with (password pin (public adj key)) same hash\$4 near result	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 08:35
S139	102	S138 and @ad<"20010730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 08:35
S140	9	S139 and mutual\$3 near authenticat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 08:36
S141	5	S138 and mutual\$3 near authenticat\$4 same key near exchang\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 08:40
S142	47	S138 and key near exchang\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 08:41
S143	25	S142 and @ad<"20010730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/15 08:41

4/15/08 10:02:28 AM

C:\Documents and Settings\mpyzocha1\My Documents\EAST\Workspaces\09918602-3.wsp